



# St. John's Wort and Depression



© Steven Foster

St. John's wort, a plant that grows in the wild, has been used for centuries for health purposes. However, consumers need to be aware of serious concerns about its safety and effectiveness. This fact sheet summarizes scientific research on St. John's wort for depression and suggests sources for more information.

## Key Facts

- St. John's wort may help some types of depression, similar to treatment with standard prescription antidepressants, but the evidence is not definitive.
- Combining St. John's wort with certain antidepressants can lead to a potentially life-threatening increase of serotonin, a brain chemical targeted by antidepressants. St. John's wort can also limit the effectiveness of many prescription medicines.
- Psychosis is a rare but possible side effect of taking St. John's wort.
- St. John's wort is not a proven therapy for depression. Do not use St. John's wort to replace conventional care or to postpone seeing your health care provider. Inadequately treated depression may become severe and, in some cases, may be associated with suicide. Consult a health care provider if you or someone you know may be depressed.
- Tell all your health care providers about any complementary health approaches you use. Give them a full picture of what you do to manage your health. This will help ensure coordinated and safe care.

## About Depression

Depression is a medical condition that affects about 1 in 10 U.S. adults. Mood, thoughts, physical health, and behavior all may be affected. The symptoms and severity of depression can vary from person to person. Depression can be treated with conventional medicine, including antidepressants and certain types of psychotherapy. For more [information on depression](#), visit the National Institute of Mental Health's Web site.

## About St. John's Wort

Although St. John's wort (*Hypericum perforatum*) has been used for centuries for mental health conditions and is widely prescribed for depression in Europe, the herb

## St. John's Wort and Depression

can have serious side effects. In addition, current evidence that St. John's wort is effective for depression is not conclusive. It is also important to note that in the United States, the Food and Drug Administration has not approved its use as an over-the-counter or prescription medicine for depression.

For more [information about St. John's wort](#), see the National Center for Complementary and Integrative Health's fact sheet.

## Side Effects and Cautions

St. John's wort is known to affect how the body uses and breaks down a number of drugs and can cause serious side effects.

- Serotonin is a brain chemical targeted by antidepressants. Combining St. John's wort and certain antidepressants can lead to a potentially life-threatening increase in serotonin levels—a condition called serotonin syndrome. Symptoms range from tremor and diarrhea to very dangerous confusion, muscle stiffness, drop in body temperature, and even death.
- Psychosis is a rare but possible side effect of taking St. John's wort, particularly in people who have or are at risk for mental health disorders, including bipolar disorder.
- Taking St. John's wort can weaken many prescription medicines, such as:
  - Antidepressants
  - Birth control pills
  - Cyclosporine, which prevents the body from rejecting transplanted organs
  - Digoxin, a heart medication
  - Some HIV drugs including indinavir
  - Some cancer medications including irinotecan
  - Warfarin and similar medications used to thin the blood.
- Other side effects of St. John's wort are usually minor and uncommon and may include upset stomach and sensitivity to sunlight. Also, St. John's wort is a stimulant and may worsen feelings of anxiety in some people.

## What the Science Says About St. John's Wort for Depression

Study results on the effectiveness of St. John's wort for depression are mixed.

- A 2009 systematic review of 29 international studies suggested that St. John's wort may be better than a placebo (an inactive substance that appears identical to the study substance) and as effective as standard prescription antidepressants for major depression of mild to moderate severity. St. John's wort also appeared to have fewer side effects than standard antidepressants. The studies—conducted in German-speaking countries where St. John's wort has a long history of use by medical professionals—reported more positive results than those done in other countries, including the United States.
- Two studies, both sponsored by NCCIH and the National Institute of Mental Health, did not have positive results. Neither St. John's wort nor a standard antidepressant medication decreased symptoms of minor depression better than a placebo in a 2011 study. The herb was no more effective than placebo in treating major depression of moderate severity in a large 2002 study.

## St. John's Wort and Depression

- Preliminary studies suggest that St. John's wort may prevent nerve cells in the brain from reabsorbing certain chemical messengers, including dopamine and serotonin. Scientists have found that these naturally occurring chemicals are involved in regulating mood, but they are unsure exactly how they work.

## The Placebo Effect

The placebo effect describes improvements that are not related specifically to the treatment being studied. For example, a recent reanalysis of the 2002 study on St. John's wort for major depression showed that the study participants' beliefs about whether they were taking a placebo or St. John's wort influenced their depression more than what they actually received. Even how a health care provider talks with patients may lead to a positive response unrelated to the treatment. To understand the usefulness of any intervention, rigorous studies are needed to compare the product or practice being tested with comparable but inactive products or practices.

## If You Are Considering St. John's Wort for Depression

- Do not use St. John's wort to replace conventional care or to postpone seeing a health care provider about a medical problem. If not adequately treated, depression can become severe. Consult a health care provider if you or someone you know may be depressed.
- Keep in mind that dietary supplements can cause medical problems if not used correctly or if used in large amounts, and some may interact with medications you take. Your health care provider can advise you.
- Many dietary supplements have not been tested in pregnant women, nursing mothers, or children. Little safety information on St. John's wort for pregnant women or children is available, so it is especially important to talk with health experts if you are pregnant or nursing or are considering giving a dietary supplement to a child. To learn more, see the NCCIH fact sheet [Using Dietary Supplements Wisely](#).
- Tell all your health care providers about any complementary or integrative health approaches you use. Give them a full picture of what you do to manage your health. This will help ensure coordinated and safe care.

## For More Information

### NCCIH Clearinghouse

The NCCIH Clearinghouse provides information on NCCIH and complementary and integrative health approaches, including publications and searches of Federal databases of scientific and medical literature. The Clearinghouse does not provide medical advice, treatment recommendations, or referrals to practitioners.

Toll-free in the U.S.: 1-888-644-6226

TTY (for deaf and hard-of-hearing callers): 1-866-464-3615

Web site: [nccih.nih.gov](http://nccih.nih.gov)

E-mail: [info@nccih.nih.gov](mailto:info@nccih.nih.gov)

## St. John's Wort and Depression

### National Institute of Mental Health (NIMH)

NIMH's mission is to transform the understanding and treatment of mental illnesses through basic and clinical research, paving the way for prevention, recovery, and cure.

Toll-free in the U.S.: 1-866-615-6464

Web site: [www.nimh.nih.gov](http://www.nimh.nih.gov)

E-mail: [nimhinfo@nih.gov](mailto:nimhinfo@nih.gov)

### Office of Dietary Supplements (ODS), National Institutes of Health (NIH)

ODS seeks to strengthen knowledge and understanding of dietary supplements by evaluating scientific information, supporting research, sharing research results, and educating the public. Its resources include online publications (such as *Dietary Supplements: What You Need to Know*), fact sheets on a variety of specific supplement ingredients and products (such as vitamin D and multivitamin/mineral supplements), and the PubMed® Dietary Supplement Subset.

Web site: [www.ods.od.nih.gov](http://www.ods.od.nih.gov)

E-mail: [ods@nih.gov](mailto:ods@nih.gov)

### PubMed

A service of the National Library of Medicine, PubMed contains publication information and (in most cases) brief summaries of articles from scientific and medical journals.

Web site: [www.ncbi.nlm.nih.gov/pubmed](http://www.ncbi.nlm.nih.gov/pubmed)

### NIH Clinical Research Trials and You

NIH has created a Web site, NIH Clinical Research Trials and You, to help people learn about clinical trials, why they matter, and how to participate. The site includes questions and answers about clinical trials, guidance on how to find clinical trials through [ClinicalTrials.gov](http://ClinicalTrials.gov) and other resources, and stories about the personal experiences of clinical trial participants. Clinical trials are necessary to find better ways to prevent, diagnose, and treat diseases.

Web site: [www.nih.gov/health/clinicaltrials/](http://www.nih.gov/health/clinicaltrials/)

## Key References

Boyer EW, Shannon M. The serotonin syndrome. *New England Journal of Medicine*. 2005;352:1112-1120.

Clauson KA, Santamarina ML, Rutledge JC. Clinically relevant safety issues associated with St. John's wort product labels. *BMC Complementary and Alternative Medicine*. 2008;8:42.

De Smet PA. Herbal remedies. *New England Journal of Medicine*. 2002;347(25):2046-2056.

Hypericum Depression Trial Study Group. Effect of *Hypericum perforatum* (St. John's wort) in major depressive disorder: a randomized controlled trial. *JAMA*. 2002;287(14):1807-1814.

Larzelere MM, Campbell JS, Robertson M. Complementary and alternative medicine usage for behavioral health indications. *Primary Care*. 2010;37(2):213-236.

Linde K. St. John's wort—an overview. *Forschende Komplementärmedizin: Research in complementary medicine*. 2009;16(3):146-155.

## St. John's Wort and Depression

Linde K, Berner MM, Kriston L. St. John's wort for major depression. *Cochrane Database of Systematic Reviews*. 2009;(4):CD000448. Accessed at <http://www.cochranelibrary.com/> on June 7, 2012.

National Institute of Mental Health. *Depression*. National Institute of Mental Health Web site. Accessed at <http://www.nimh.nih.gov/health/publications/depression/index.shtml> on June 7, 2012.

## Acknowledgments

NCCIH thanks the following individuals for their technical expertise and review of this publication: Jonathan Davidson, M.D., Professor Emeritus, Department of Psychiatry and Behavioral Sciences, Duke University; David Mischoulon, M.D., Ph.D., Director of Research and Alternative Remedy Studies at the Depression Clinical and Research Program at Massachusetts General Hospital; and Wendy Weber, Ph.D., and John (Jack) Killen, Jr., M.D., NCCIH.

## St. John's Wort and Depression

*This publication is not copyrighted and is in the public domain.*

*Duplication is encouraged.*

---

**NCCIH has provided this material for your information. It is not intended to substitute for the medical expertise and advice of your primary health care provider. We encourage you to discuss any decisions about treatment or care with your health care provider. The mention of any product, service, or therapy is not an endorsement by NCCIH.**

---

U.S. Department of Health & Human Services • National Institutes of Health • National Center for Complementary and Integrative Health

[nccih.nih.gov](http://nccih.nih.gov)